
Texas Catheter Associated Urinary Tract Infection (CAUTI) Standardized Infection Ratio (SIR)


Hospital ICU Locations, January 2014 - December 2015 Current as of: 4/1/2016



NOTE: The 2015 CAUTI definition change excluded yeasts & cultures less than 100k. This is why CAUTI SIR was so much lower in 2015. The national CAUTI SIR for 2015 is 0.55.


Texas Central Line Associated Bloodstream Infection (CLABSI) Standardized Infection Ratio (SIR)

Hospital ICU & NICU Locations, January 2014- December 2015 Current as of: 4/1/2015




NOTES: Due to defintion changes with CAUTI and PNEU, many CLABSIs that would have previously been considered secondary BSIs are now required to be reported as primary BSIs. This could be responsible for the slight increase in CLABSIs in 2015.

Inpatient and Outpatient Procedures Reported from Hospitals, January 2014 -December 2015 Current as of 4/1/2016



NOTES: Minor changes regarding the event date, the infection window to determine when the criteria elements need to be met, and exclusion of certain pathogens (Blastomyces, Histoplasma, Coccidioides, Paracoccidioides, Cryptococcus and Pneumocystis).


Inpatient and Outpatient Colon Surgeries Reported from Hospitals, January 2014 - December 2015 Current as of 4/1/2016



Inpatient and Outpatient Abdominal Hysterectomy Surgeries Reported from Hospitals,

January 2014 - December 2015


Current as of 4/1/2016



Inpatient and Outpatient Hip Prosthesis Surgeries Reported from Hospitals,

January 2014 - December 2015

Current as of 4/1/2016



Inpatient and Outpatient Knee Prosthesis Surgeries Reported from Hospitals,
January 2014 - December 2015
Current as of 4/1/2016

